

# An IoT-based Real-Time Remote Health Monitoring System

Sakil Ahammed<sup>1</sup>, Nazmul Hassan<sup>2</sup>, Sheikh Hasib Cheragee<sup>3</sup> and Abu Zafor Md. Touhidul Islam<sup>4</sup>

<sup>1-4</sup> (Department of Electrical and Electronic Engineering, University of Rajshahi, Rajshahi-6205 Bangladesh)

Received Date: 05 May 2021

Revised Date: 06 June 2021

Accepted Date: 11 June 2021

## Abstract

Nowadays, most of the elder people get heart failure because they are not aware of their current heart rate when resting or doing some activities. Body temperature needs to be monitored remotely, even in the rural areas for diseases like COVID-19. IoT technology enables these facilities eliminating limitations of current healthcare system. The aim of this paper is to develop a remote health monitoring system that can be made with locally available sensors with a view to make it affordable, easy and accessible patients from rural areas. The proposed system is a real-time patient health monitoring system in which a patient's heart rate, peripheral oxygen saturation (SpO<sub>2</sub>) and body temperature can be monitored remotely, 24 hours in a day. This IoT based remote viewing of the data enables a doctor or guardian to monitor a patient's health condition away from hospital grounds.

**Keywords** — Internet of Things (IoT), Health Monitoring, Pulse Oximeter and Heart rate Sensor, Temperature Sensor, NodeMCU

## I. INTRODUCTION

Health monitoring is a major problem in today's world. As a result of a shortage of proper health monitoring, patients from different diseases suffer from serious health issues. Because of increasing work cost, medical institutions would compel to limit nursing staff for patients. Patients affected by infectious diseases like COVID-19 needs to be monitored remotely due to its possibility to spread among nurses also. Before inventing IoT, it needs 2-3 days to address an issue in a typical supply chain scenario for a satisfactory result. However, in IoT, it needs only minutes, seconds, or microseconds to take action. The high expectation and discharge of enormous data in the IoT environment indicate that the cost of data will reduce very soon. According to the WHO, 4.9 million people died from lungs cancer, overweight 2.6 million, 4.4 million for elevated cholesterol, 7.1 million for high blood pressure [1]. Hypertension is a common disease that is mainly responsible for cardiac/stroke mortality of almost all chronic illnesses. But at now, a limited number of remote HRV analysis systems is available for

hypertension patient that enables the doctors to track down the progression of the patient's health condition or critical issues in the rural area [1]. These smart devices are also advantageous to a health specialist to keep an eye on individually their patients. With tons of new healthcare technology startups, IoT is rapidly revolutionizing the healthcare industry. Here, we introduce a basic IoT-based healthcare monitoring system. Implementation of the nursing system will get a new dimension and every patient can be monitored remotely. By this, based on procured data, immediate instruction can be given to the one who is in charge when the patient is in a critical situation. It may play a vital role to reduce labor cost, rather will be easy to assess from anywhere, anytime and will be helpful to take an immediate decision. Thus, the nursing system will be digitalized. In the proposed model, patients can measure heartbeat rate, saturated peripheral oxygen level and body temperature by himself or herself and that report immediately sent to the doctors. Later that, those reports will be used to consult with doctors within a very short time. It also reduces the valuable time for both patients and doctors. They don't need to wait for the reports because sensors are providing real-time data. The model is very effective for peoples in rural areas. IoT is served through Wireless Fidelity (Wi-Fi) technologies to send data or patient reports to the doctors with time and date. This proposed model can use any type of persons like he or she affected with a disease or not. So, they can check it on a regular basis because people pay more attention towards prevention and early recognition of disease.

## II. MOTIVATION

Developing countries like Bangladesh has a centralized tendency of using facilities in technology, livelihood, healthcare etc. sectors. Due to lack of proper distribution of facilities throughout the country, people in the rural areas lack of proper health treatment. They don't find proper quality of treatment. Many people get the treatment after the disease or fever gets too critical. As of considering the cost of treatment as well many of the rural people cannot afford for it. So, to make the first step of treatment process easier this paper is planned. A common man cannot afford the expensive and daily check-up for his health. For this purpose,



various systems which give easy and assured caring unit has been developed. This system reduces time with safely handled equipment. This contribution towards the society will be very worthy. Because people can detect the abnormal practice of the body before getting into any serious disease. The person who is worried more about any other loved person can take care and keep the track of his health by sitting in any corner of the world with the help of IoT.

### III. LITERATURE REVIEW

Naina Gupta et al. set forward an arrangement of IoT based health monitoring systems that aims to settle the issue of time wasted during ambulatory services and in hospitals. They force to transfer the data via a GSM module connect through Bluetooth technology. Methodical health check and monitoring of the different body parameters with the help of the different sensors attached to the body is the main focus of this work [2].

In [3], a low-cost IoT system for multi-patient ECG's monitoring is introduced. The authors introduced a prototype that is bound to work only on the transmission of Electrocardiographic signals through ZigBee wirelessly. By connecting different sensors to various nodes in the body, they accumulated a series of data which is in analogue form and made a web application for displaying the corresponding readings according to the patients. Their application is restricted to 20 users only and the data comprises various bandwidth issue which causes errors in the proposed result.

Melisa Pereira and N. Kamath have analysed A novel IoT based health monitoring system using LPC2129 [4] in which they sought to resolve the difficulty of wireless data transmission. Their principal elements are body fat level in percentage and heart rate. In the suggested solution, they adopted an Arm 7 processor that works on data transmission via wifi. The entire system appears to be confined due to the adoption of such technology that doesn't sustain considered long-range communication.

Tati Erlina et al. [5] made a system that is focused to solve the issue of monitoring comatose patient's physiological condition by monitoring heart-beat, respiratory rate and eyelids status. This total system is made to send the data to Android App on the mobile phone on which the application is made to show different readings measured. But the solution is failed to hold the security of the system and put the important data at risk.

In [6], Ashwini Gatte et al. proposed an IoT based fitness tracking system of aged persons in which he used different parameters of body glucose, blood pressure, heartbeat rate as well activity monitoring etc., with the approach of Raspberry Pi. They also used ECG (Electrocardiogram) sensor for the heartbeat and other diseases and also proposed different IoT based protocols which can be used in this type of system.

Niket Patil et al. worked on the fitness monitoring and apprehending system for soldiers using IoT [7]. They

proposed the monitoring system used the sensors like LM35, Pulse Rate Sensor and Oxygen spotter sensing system and for tracking purpose, they used GPS SIM28M which is very precise to track the location of a soldier. This whole system is connected to the internet using Node MCU ESP 8266 Wi-Fi module and it also comprises a panic button to get help in an emergency. And the whole system is low cost and sensors are connected with Arduino Uno (ATMega 328p) as the MCU Board.

In [8], An IoT based patient monitoring system using Raspberry Pi along with sensors that track the Patient's Body temperature, heartbeat rate, body movement and Respiration Rate is introduced. Here IR transmitter and receiver are utilised to monitor Heartbeat rate. The transformer specifically the step-down transformer is adopted to bring the input voltage of 230 V to convert into 9 V and 5 V and here SMPS Switched Mode Power Supply is also used as every sensor has distinctive input.

Chowdhary et al. proposed an efficient health monitoring system with a GSM module connected to a Raspberry Pi in an assembly of different health monitoring sensors. This system focused on the direct transfer of health data in form of direct messages on the phone of the Doctor. They aimed to make it portable and hence to decrease the load in the hospitals for patient monitoring. They obtained the speed of 20 seconds per reading for refreshing the updated value and storing the data in the system [9].

Nubenthan and Ravichelvan [10] developed a wireless continuous patient monitoring system for Dengue using a wireless interface for WBAN using IEEE 802.15.4j and IEEE 802.15.6 standards. They separated the hardware and used Wi-Mon software to collect the data from different sensors. This information provides the idea of patient seriousness in any disease like Dengue. Collection of vital information such as body temperature, pulse rate, ECG, oxygen saturation and blood pressure are used as a base material to monitor the health with the accuracy of Wi-Mon software.

In [11], Khan et al. worked on a healthcare monitoring system with a combination of Arduino Uno and Raspberry Pi. They collected all the data with Arduino from all the sensors and then used a raspberry pi to shoot a video. Using a local server, they created a hub of reading that were updated every 2 minutes. This system was proposed to resolve the issues for aged groups and patients who do not regularly visit the doctor.


Uddin et al. proposed a real-time patient tracking system that can be supportive in ICU. This system configures all the data with the help of body sensors in support of Arduino Uno and transfers it to an application. This app helps monitor various parameters in a specific range and connectivity. With the help of IoT Cloud and IoT protocols, they offered a varying range of transmission of data to the developed app [12].

An IoT based patient health monitoring system using a wearable biomedical device is proposed by Zia Uddin Ahmed et al. [13]. In this system, sensors are connected to the microcontroller along with a GSM module for sending information to the user or its family in an emergency. This system comprises so many hardware devices which are directly connected to the body of the patient. And this data is distributed in multiple sectors and this allows the user to take data from multiple locations.

**IV. WORKING METHODOLOGY**

The Working flow diagram of the real time IoT based health monitoring system is shown in Fig. 1. The system consists of three major embedded electronics: Pulse Oximeter and Heart Rate Sensor, Temperature Sensor and NodeMCU.

A 5V adapter is connected as source supplier and for transmission of instruction from PC to NodeMCU. Patient will touch the Pulse Oximeter and Heart Rate Sensor and then the sensor’s ray will count the beat from blood flow. Touching the temperature sensor will measure the body temperature. The results then will be uploaded via ESP8266 which is integrated in NodeMCU module and we can access the data from mobile based web server which acts as IoT cloud.



**Fig. 1 Working flow diagram of the IoT based health monitoring system**

**A. System Model**


The proposed health monitoring system model using IoT is shown in Fig. 2. Our paper is comprised of both hardware and software. In hardware part, heartbeat, SpO2 and Temperature sensors are used. When the heartbeat, SpO2 and temperature are measured, Wi-Fi module helps to upload it in mobile APP based Web server.



**Fig. 2 IoT based health monitoring system model**

**B. Hardware Implementation**


To run the system first we need to connect NodeMCU module with the power supply as it is the main control unit. In input side, we have Pulse Oximeter and heartbeat sensor (Max30100) and temperature sensor. Moreover, WiFi module integrated in NodeMCU Module helps to send data in the cloud and when the data gets uploaded, we can check the output in the cloud application in smartphone. First of all, a finger is placed in the Pulse Oximeter and heartbeat sensor and in the temperature sensor. After that, if connection is built up, it shows result in the serial monitor. And then it sends data in the Blynk cloud to monitor from far. This is all about the block diagram in Fig. 3 which shows the entire process of hardware.




**Fig. 3 Block diagram of hardware implementation of the IoT based health monitoring system**

**V. PRACTICAL CIRCUIT CONNECTION**

Figure 5 shows the practical circuit of the proposed IoT based health monitoring system. The precision of the system depends on the sound design of the circuit and proper arrangement of the circuit elements. Performance of every circuit stage depends on the performance of previous stage. So, each and every stage designing must be meaningful.



**Fig. 4 Circuit diagram of the IoT based health monitoring system**



**Fig. 5 Practical circuit of the proposed IoT based health monitoring system**

Sensors are connected to the NodeMCU module. Instructions are uploaded in this microcontroller via Arduino IDE software tool. Now, as power is ON, the system is ready to measure heart rate, saturated oxygen and body temperature. Wi-Fi module integrated with NodeMCU will send this value to Blynk to monitor remotely.


## VI. RESULTS AND DISCUSSION

The proposed patient health monitoring system based on IoT worked successfully when implemented on practical circuit. Heart Rate, peripheral oxygen saturation (SpO2) and Body temperature were sent to the web server from the circuitry. This part is presented below under three different health conditions: normal condition, fever condition and scared condition.


### A. Normal Condition

During normal condition, all the health parameters fall in the normal range: normal pulse rate 60-100 beats per minute (bpm), normal SpO2 95-100% and normal body temperature 97-99°F for a healthy adult. Thus, in the web-based server we can see the parameters in normal range. Figures 6 to 9

shows the results of the health parameters under normal condition. The values of health parameters recorded at a particular instant are shown in Gauge form in Fig. 6. The live results of the pulse rate, SPO2 and body temperature against time are presented respectively in Figures 7, 8 and 9. Slight misalignment of results from normal range may occurs due to analog measurement of sensors and high sensitivity of the sensor.



**Fig.6 Health Parameters shown in Gauge form under normal condition**



**Fig. 7 Graph of pulse rate under normal condition**



**Fig. 8 Graph of SpO2 under normal Condition**



**Fig. 9 Graph of body temperature under normal condition**



**Fig. 12 Graph of SpO2 under fever condition**

**B. Fever Condition**

Figures 10 to 13 show the health parameters when the patient suffers some fever. As fever is related to increase in body temperature thus in the figure body temperature is greater (105.4 °C). Heart rate increase a little with body temperature thus SpO2 decrease a little. But both heart rate and SpO2 falls in normal range.




**Fig. 13 Graph of Body Temperature under Fever Condition**




**Fig. 10 Sensor parameters shown in Gauge form under fever condition**

**C. Scared Condition**


When someone gets scared, their pulse rate gets increased. Thus, oxygen saturation level gets decreased and temperature gets increased a little bit than usual condition. The abnormal increase in the graph is due to instant increase of heart rate when someone gets scared. Figures 14 to 17 show the results. Note that, there are an inversey proportional relationship between pulse rate and SpO2 and proportional relationship between pulse rate and body temperature.



**Fig. 11 Graph of pulse rate under fever condition**



**Fig. 14 Sensor parameters shown in Gauge form under scared condition**



**Fig. 15 Graph of pulse rate under scared condition**



**Fig. 16 Graph of SpO2 under scared condition**



**Fig. 17 Graph of body temperature under scared condition**

**VIII. CONCLUSIONS AND FUTURE WORK**

In this paper we have successfully developed an IoT-based real-time health monitoring system using locally available sensors that gives an opportunity to monitor patient continuously by using the web and apps service. By using the proposed system, a patient’s heart rate, peripheral oxygen saturation (SpO2) and body temperature can be monitored remotely, 24 hours in a day. Data has been presented and discussed under the normal, fever and scared health conditions. This IoT based remote viewing of the data enables a doctor or guardian to monitor a patient’s health condition

away from hospital grounds and reduces health care cost especially for rural area people.

In the present work we just have included two necessary sensors that gives three health readings. In future, there is a scope of adding several developed sensors like ECG sensor, blood pressure sensor, blood glucose sensor, accelerometer, room temperature and humidity sensor, body movement/position sensor, vibration sensor, toxic gas sensor, CO/CO2 and much more newly developed sensors that will represent the system a complete package for health monitoring over all unusual health conditions. In future we will add web camera for constant monitoring of the patients in real-time and will develop our own website and enable secure login for every single patient. Also, we will try to develop a mobile based application of our own that will add emergency alert SMS option to near hospital, so that ambulance come as soon as possible. Also, SMS can be sent to the close one of the patients and we can set-up an arrangement that will enable doctors to give real-time prescription to the patients in online according to the real-time reports.

**REFERENCES**

- [1] R.N. Kirtana, Y.V. Lokeswari, An IoT Based Remote HRV Monitoring System for Hypertensive Patients, 2017 International Conference on Computer, Communication and Signal Processing (IEEE-ICCCSP),Chennai, India, 2017,DOI: 10.1109/ICCCSP.2017.7944086, (08 June 2017).
- [2] N Gupta, H Saeed, S Jha, M Chahande, S Pandey. IOT based health monitoring systems,2017 International Conference on Innovations in Information, Embedded and Communication Systems (IEEE-ICIECS), Coimbatore, India , 2017,DOI:10.1109/ICIECS.2017.8276181, (01 February 2018).
- [3] MRF Nurdin, S Hadiyoso, A Rizal. A Low-Cost Internet of Things (IoT) System for Multi-Patient ECG’s Monitoring, 2016 International Conference on Control, Electronics, Renewable Energy and Communications (IEEE- ICCEREC), Bandung, Indonesia, 2016, DOI:10.1109/ICCEREC.2016.7814958, (16 January 2017).
- [4] M Pereira, N Kamath. A Novel IoT Based HealthMonitoring System Using LPC2129, 2017 2nd IEEE International Conference on Recent Trends in Electronics Information &Communication Technology (IEEE - RTEICT), Bangalore, India, DOI: 10.1109/RTEICT.2017.8256660, (15 January 2018).
- [5] T Erlina, MR Saputra, RE Putri. A Smart Health System: Monitoring Comatose Patient’s Physiological Conditions Remotely, 2018 International Conference on Information Technology Systems and Innovation (IEEE-ICITSI),Bandung, Indonesia, 2018,DOI:10.1109/ICITSI.2018.8696094, (25 April 2019).
- [6] A Gutte, R Vadali, IoT Based Health Monitoring System Using Raspberry Pi, 2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBEA), Pune, India, 2018, 1-5, DOI:10.1109/ICCUBEA.2018.8697681, (25 April 2019).
- [7] N Patil, B Iyer, Health monitoring and tracking system for soldiers using Internet of Things (IoT), International Conference on Computing, Communication and Automation (ICCCA), Greater Noida, India, 2017, 1347-1352. DOI: 10.1109/CCAA.2017.8230007, (21 December 2017).
- [8] R Kumar, MP Rajasekaran. An IoT based patient monitoring system using raspberry Pi, International Conference on Computing Technologies and Intelligent Data Engineering (IEEE-ICCTIDE’16), Kovilpatti, India, 2016, 1-4. DOI: 10.1109/ICCTIDE.2016.7725378, (31 October 2016).
- [9] KC Chowdary, KL Krishna, KL Prasad, K Thejesh. An Efficient

- Wireless Health Monitoring System, 2018 2nd International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (IEEE-I-SMAC), Palladam, India, 2018, DOI:10.1109/I-SMAC.2018.8653716, (28 February, 2019).
- [10] I Khan, K Zeb, A Mahmood, W Uddin, MA Khan, SIslam. Healthcare Monitoring System and transforming Monitored data into Real time Clinical Feedback based on IoT using Raspberry Pi, 2019 2nd International Conference on Computing, Mathematics and Engineering Technologies (IEEE-iCoMET), Sukkur, Pakistan, 2019, DOI: 10.1109/ICOMET.2019.8673393, (25 March 2019).
- [11] S Nubenthan, K Ravichelvan, A Wireless Continuous Patient Monitoring System for Dengue, 2017 International Conference on Wireless Communications, Signal Processing and Networking (IEEE-WiSPNET), Chennai, India, 2017, DOI: 10.1109/WiSPNET.2017.8300150, (22 February 2018).
- [12] MS Uddin, JB Alam, S Banu. Real Time Patient Monitoring System based on Internet of Things, 2017 4<sup>th</sup>International Conference on Advances in Electrical Engineering (IEEE-ICAEE), Dhaka, Bangladesh, 2017, DOI:10.1109/ICAEE.2017.8255410, (15 January 2018).
- [13] ZU Ahmed, MG Mortuza, MJ Uddin, MH Kabir, M Mahiuddin, MJ Hoque, Internet of Things Based Patient Health Monitoring System Using Wearable Biomedical Device, 2018 International Conference on Innovation in Engineering and Technology (IEEE-ICIET), Dhaka, Bangladesh, 2018, DOI:10.1109/CIET.2018.8660846, (07 March 2019).