

High Step-up DC/DC Converters Topologies

¹Anand K. Singh, ²Suraj A. Dahat, ³Chetan W. Jadhao
PG-Student, Assistant Professor, Assistant Professor
Electrical Engineering Department
DMIETR, Wardha(MS),India

Abstract

Low voltage photovoltaic frameworks require exceedingly productive converters to furnish the greatest vitality to the heap with high advance up DC voltage transformation. The sustainable power sources like PV modules, energy units, supercapacitors, or batteries convey low yield voltages around 12 to 60 V DC. For associated lattice applications, the voltage level should be expanded to an adequate level where the DC to AC transformation can be accomplished. The execution of a sustainable power source framework is influenced by the proficiency of high pick up DC/DC converters, which is a primary part of the power framework chain. This survey concentrated on high effectiveness venture up DC/DC converters with high voltage pick up. The paper gives a reasonable rule concerning the advancement of new-age non-separated DC to DC converter for high power applications.

Keywords - DC-DC converter; Topologies with a Switched capacitor; Topologies with Coupled inductor; Inductor and exchanged capacitor topologies.

I. INTRODUCTION

The interest in sustainable power source is expanding worldwide because of the vitality lack and natural contamination. A photovoltaic (PV) framework unquestionably discovered one of the real players in the environmentally friendly power vitality innovations and contributed to the greatest power ages among all the sustainable power source systems. PV-created control offers points of interest, for example, high dependability, discharge free, less working costs, particularity, and low development costs over other vitality gatherings. This makes the photovoltaic framework an unrivaled decision. In numerous nations, the PV framework associated control framework is a quickly developing section for private applications. Sun-powered photovoltaic (PV) frameworks require establishing a couple of sorts of energy electronic circuits to control the stream of vitality inside the framework. These power handling frameworks can be summed up as off-lattice or on-matrix. The off-lattice framework does not utilize battery stockpiling and uses an inverter-based power preparing framework to interface the PV to the electric matrix. The on-network can be subdivided into two subgroups. They are independent frameworks or electric utility reinforcement.




Fig.1 Basic renewable energy system.

A mixture of sustainable power source lattice associated framework appears in Figure. 1. The focal concentration focuses while outlining a PV based sustainable power source frameworks are; productive extraction of energy from vitality change framework and transformation of the created energy to the favored shape and level [1]. Figure.1 demonstrates a sustainable power source framework, where the power converter is utilized to remove the greatest power produced by the PV Module; likewise, the low PV voltage must be changed over to high, keeping in mind the end goal bolster to the inverter area. So the most extreme PowerPoint Tracking (MPPT) and boosting the PV voltage are the binding obligations of a high pick up converter [1].

Traditional lift converter is a decision, yet the switch and diodes have high voltage worry because of the high pick up in the yield voltage, hence parts with high appraisals and high on-state protection (RDS) to be utilized, which may expand the on-state misfortunes. The high obligation proportion expands the on-state misfortunes and reverses recovery issues; along these lines, the traditional lift is not reasonable for high pick up applications[2]. The quadratic lift converter utilizes a solitary switch, where the voltage pickup is a quadratic capacity of an established lift. In any case, the switch voltage push is equivalent to the yield voltage; in this manner, a high appraised switch ought to be chosen [3]. Interleaved support setup is an effective response for expanding the power level; this lessens the swell present and size of the inactive segments; then again, the proficiency is restricted because of yield diode switch recuperation issue [4]. The ordinary flyback converter can accomplish high pickup by modifying the turn proportion of the transformer, yet; the spillage inductance causes high voltage spikes on the dynamic switch, which will expand the exchanging misfortunes [5]. Be that as it may, utilization of a helper circuit may diminish these voltage spikes and reuse the spillage vitality [6]; however, the assistant switch entangles structures and control.

The converters utilizing transformers or coupled inductors can accomplish great change proportion without to a great degree high obligation cycle. Such topologies furnish high advance up a proportion with less switch voltage stretch and effective alleviation from the turn around recuperation issue by restricting the reduction of yield diode current. Be that as it may, the nearness of spillage vitality in the coupled inductor initiates high voltage spikes over the principle switch; thus, the vitality put away in the spillage inductor should be consumed by utilizing a snubber circuit or some different means. The misfortunes will be disseminated as warmth and, in this



way, diminishes the proficiency [7]. Alongside this review, the cutting edge high advance up converter's investigation will coordinate the use of coupled inductor and exchanged capacitors in high pick up applications. This can aggregate up the utilization of the following high pick up help converter classes: (i) Topologies with Switched Capacitor (SC), (ii) Topologies with Coupled inductor (CI), (iii) Inductor and exchanged capacitor topologies (IEC) (iv) Coupled inductor and exchanged capacitor topologies (CIEC).

II. STEP-UP CONVERTER TOPOLOGY

A. Topologies with Switched capacitor (SC)

Exchanged Capacitor based converters give nominal size, less weight, high proficiency, great solidness, ceaseless info present, high power thickness, high effectiveness, (the above structure and the nonappearance of attractive parts decreases the EMI issues created by $L(di/dt)$). Also, it can keep the yield voltage at a favored incentive, notwithstanding wide varieties in load and info voltage. The converter topology appears in fig. 2[8]. Attributes of exchanged Capacitor based converters are checked on as takes after.




Fig.2 Topologies with Switched Capacitor (SC)

The distinction between the information voltage and the charging capacitors beginning voltages is kept at least esteem; correspondingly, the pinnacle and normal charging current are in like manner kept at least will diminish the exchanging misfortunes. Regardless of whether the SC topology can achieve a high advance up pick up, the throbbing information present and poor line and load control make the topology unacceptable for PV applications.

B. Topologies with a Coupled inductor (CI)

Utilizing coupled inductor - topology, the switch voltage stress can reduce; therefore, the proficiency is expanded. To build the voltage, pick up a latent regenerative snubber circuit that is utilized here. Besides, the issues of the stray inductance and the diode turn around recuperation can be tackled in order to accomplish the high-efficiency control transformation. Converter topology appears in figure 3. By utilizing the coupled inductor with high turns proportion, the high pick up can be accomplished. The aloof regenerative snubber circuit is utilized to recuperate the spillage vitality, which will likewise add to the voltage brace unit and advance up pick up. Likewise, the switch voltage push is not united to the yield voltage; thus, the arrangement is fit for the DC control transformation at high pick up since every one of

the diodes holding voltage brace property the switch recuperation and short out issues can be settled [7].




Fig.3 Topologies with a Coupled inductor (CI)

C. Inductor and exchanged capacitor topologies (IEC)

High voltage pickup can be acquired utilizing exchanged capacitor (SC) converter, yet throbbing information present, low load, and line direction settle on a disgraceful decision. The SC topology can be utilized for high advance up and better voltage direction using an inductor alongside the structure. Moreover, it lessens the throbbing info current. Figure 4 demonstrates the lift/buck-support based inductor exchanged Capacitor based converter [10]. The primary technique is displaying a few capacitors into the exchanged mode dc-dc topologies.




Fig.4 Inductor and exchanged capacitor topologies (IEC)

Amid the OFF state of the switch, the discharged vitality from the inductor charges the capacitors in parallel. Amid the ON condition, these capacitors come in arrangement to supply the heap. Along these lines in ISC structure, a lower esteem obligation cycle can give high advance up pick up; this prompts decreased swell current and switches side road current at high proficiency.

D. Coupled inductor and exchanged capacitor topologies (CIEC).

To kill the trouble in the yield voltage direction with change in input voltage, a coupled inductor is utilized alongside exchanged capacitors. The utilization of a coupled inductor will build the voltage pick up by modifying the turns proportion. Figure 5 demonstrates a circuit setup, which incorporates a coupled inductor alongside the two capacitor voltage multiplier units to achieve high pick up. Here, amid the turn-off period, the inductor put away vitality charges the voltage multiplier units; this may additionally build the pickup. The utilization of an aloof cinch circuit reuses the spillage vitality with the goal that the high voltage spikes, which

happen over the turn amid the OFF condition, can be disposed of because of the CISC structure. In this way, a power switch with diminished state protection (RDS) can be utilized to diminish the ON state's misfortunes [11].




Fig.5 Coupled inductor and exchanged capacitor topologies (CIEC)

III. CONCLUSION

The paper depicts the audit and investigation of advanced DC/DC converters with high voltage pick up and high productivity. The DC/DC non-confined converter topologies utilizing exchanged Capacitor, coupled inductor, an inductor with exchanged Capacitor, and coupled inductor with exchanged Capacitor were discussed in this paper. The given investigation gives a superior plan to the progression of cutting edge non-segregated DC/DC converter for high power application.

REFERENCES

- [1] Esam H. Ismail, Mustafa A. Al-Sa_ar, Ahmad J. Sabzali and Abbas A. Fardoun, "A Family of Single Switch PWM Converters With High Step Up Conversion Ratio", IEEE Transactions on Circuits and Systems-I: Regular Papers, volume.5, No.4, May 2008.
- [2] N.Mohan, T. M. Undeland, and W. P. Robbins, "Power Electronics: Converters", Applications and Design. New York, NY, USA: Wiley, 2003.
- [3] Jonathan Dodge, "Latest Technology PT IGBTs vs. Power MOSFETs", Advanced Power Technology PCIM, April 2003
- [4] Wuhua Li, Xiangning He, "Review of Non-isolated High-Step-Up DC/DC Converters in Photovoltaic Grid-Connected Applications", IEEE Transactions on Industrial Electronics., vol. 58, no. 4, April 2011.
- [5] S.Amuthameena, G. Amuthan, L. Ganesan, 2017, "Comparative analysis of unity power factor grid-connected PV system with PI and fuzzy-based controllers", Int. J. Power Electronics, Vol. 8, No. 2, pp. 159-177.
- [6] R.Karthikeyan & Dr S Chentur Pandian "A Novel 3-D Space Vector Modulation Algorithm for Cascaded Multilevel Inverter", International Review of Electrical Engineering (IREE), Volume 7 no 2 November - December 2010 pp: 2860 – 2865, ISSN: 1827-6679.
- [7] Rong-Jong Wai,Rou-Yong Duan, "High Step-Up Converter With Coupled-Inductor," IEEE Transactions on Power Electronics., vol. 20,no.5,September 2005.
- [8] On-Cheong Mak, Yue-Chung Wong, and Adrian Ioinovici, "Step-up DC Power Supply Based on a Switched-Capacitor Circuit", IEEE Transactions on Industrial Electronics, volume 42, no. 1, pp. 90-97, February 1995.
- [9] T. Haribabu, Y.Damodharam, CH. Jayavardhana Rao, Velappagari Sekhar, "Implementation of High step-up Three-port DC-DC Converter for Stand-alone PV-Battery Hybrid Power Systems" SSRG International Journal of Electrical and Electronics Engineering 1.7 (2014): 18-24.
- [10] Ali Ajami, Hossein Ardi, and Amir Farakhor, "A Novel High Step-up DC/DC Converter Based on Integrating Coupled Inductor and Switched- Capacitor Techniques for Renewable Energy Applications", IEEE Transactions on Power Electronics , vol.30,no.8,August 2015.
- [11] Uma, J, Jeevanandham,A,2015, "Performance of Four phase Switched Reluctance Motor Drive using Single Pulse Width Modulation Technique under constant turn off angle and random turn off angle", ARPN Journal of Engineering and Applied Sciences, Vol. 10, No. 5, pp.2203-2208.
- [12] Harshal Dattatray Vaidya "DC-DC Switched Inductor Boost Converter for DC Drives Applications", International Journal of Engineering Trends and Technology (IJETT), V53(2),90-94 November 2017. ISSN:2231-5381.
- [13] Gang Wu, Xinbo Ruan, and Zhihong Ye, "Nonisolated High Step Up DC-DC Converters Adopting Switched-Capacitor Cell", IEEE Transactions on Industrial Electronics, volume. 62, no. 1, pp. 383 393, January 2015.